



## DELIA 2

---

LED-1L16EMP700KN83/PC23 NK3HST 3K#

[WWW.OSMONT.CZ](http://WWW.OSMONT.CZ)

## DELIA 2

Product code: DEL69441


Type: LED-1L16EMP700KN83/PC23 NK3HST 3K#

Short description of the luminaire: White colour | ceiling or wall LED light with emergency backup combined ( with Self-test) | multipower driver | opal polycarbonate shade (PC)|



### Technical

|                           |                             |
|---------------------------|-----------------------------|
| Types of luminaires       | Emergency combined SELFTEST |
| Mounting type             | surface mounted             |
| Base material             | steel                       |
| Shade material            | opal polycarbonate          |
| Base color                | white Ral9003               |
| Shade color               | white                       |
| Holding the shade         | folding system              |
| Mounting location         | ceiling/wall                |
| Width                     | 400 mm                      |
| Length                    | 400 mm                      |
| Height                    | 80 mm                       |
| mounting holes (diameter) | 3xØ5mm                      |
| Cable entrance            | 2xØ16mm                     |
| Energy Class              | D                           |
| Impact strength           | IK10                        |
| Operating temperature     | from -20°C to +30°C         |




### Electric

|                    |                     |
|--------------------|---------------------|
| Power consumption  | 34 W                |
| Ingress Protection | IP54                |
| Socket             | LED modul           |
| Battery type       | LiFePO4             |
| Emergency time     | 3 hours             |
| SELFTEST           | yes                 |
| terminal block     | snap terminal block |

### Luminous

|                                             |              |
|---------------------------------------------|--------------|
| Lum. flux of luminaire                      | 3540 lm      |
| Lum. flux of light source                   | 5050 lm      |
| Lum. flux of light source in emergency mode | 200 lm       |
| Temperature                                 | 3000 K       |
| Rated life time LED L80/B10                 | 100000 hours |
| CRI                                         | Ra80         |
| MacAdam                                     | 3            |
| Blue light hazard                           | Risk group 0 |

Eulum data for calculation programs are available at [www.osmont.cz](http://www.osmont.cz).




Logistic

|                   |                      |
|-------------------|----------------------|
| EAN               | 8591728149611        |
| Weight NTTO       | 1.8 Kg               |
| Weight BTTO       | 2.2 Kg               |
| Number of cartons | 1 pcs                |
| Package volume    | 0.015 m <sup>3</sup> |
| Package 1 width   | 0.41 m               |
| Package 1 length  | 0.41 m               |
| Package 1 height  | 0.09 m               |
| Warranty*         | 60 months            |



\*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:



## Additional assortment:

## Base for surface mounting

| Product code | Name      | Color            | Description   | Picture                                                                            | Drawing                                                                             |
|--------------|-----------|------------------|---------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 33502        | KN8,K8/BP | white<br>Ral9003 | příslušenství |  |  |

## Lampshade

| Product code | Name | Color | Description   | Picture                                                                            | Drawing |
|--------------|------|-------|---------------|------------------------------------------------------------------------------------|---------|
| 20522        | PC23 | white | příslušenství |  |         |