

DELIA LEC3

LED-1L20E1000ZLEN94/PM24C/L100 DALI 4K##

WWW.OSMONT.CZ

DELIA LEC3

Product code: DEL69915

Type: LED-1L20E1000ZLEN94/PM24C/L100 DALI 4K##

Short description of the luminaire: White pendant LED light DALI and PMMA shade.



Technical




| | |
|------------------------------|-----------------------------------|
| Types of luminaires | Dimmable |
| Mounting type | Suspended - SELV wire (cableless) |
| Base material | steel |
| Shade material | opal polymethyl methacrylate |
| Base color | white Ral9003 |
| Shade color | white - black |
| Holding the shade | folding system |
| Mounting location | ceiling |
| Width | 500 mm |
| Length | 500 mm |
| Height | 85 mm |
| Diameter | ø 500 mm |
| Hinge length | 1000 mm |
| mounting holes (diameter) | 3xø5mm |
| Installation wire (diameter) | 2xø16mm |
| Energy Class | D |
| Impact strength | IK04 |
| Operating temperature | from -20°C to +30°C |

Electric

| | |
|-------------------------------------|---------------------|
| Power consumption | 46 W |
| Ingress Protection | IP40 |
| Socket | LED modul |
| terminal block | snap terminal block |
| Automatic circuit breaker type B10A | 13 pcs |
| Automatic circuit breaker type B16A | 22 pcs |
| Automatic circuit breaker type C10A | 21 pcs |
| Automatic circuit breaker type C16A | 36 pcs |

Luminous

| | |
|-----------------------------|--------------|
| Lum. flux of luminaire | 4240 lm |
| Lum. flux of light source | 7710 lm |
| Luminaire efficacy | 92 lm/W |
| Temperature | 4000 K |
| Rated life time LED L80/B10 | 100000 hours |
| CRI | Ra80 |
| MacAdam | 3 |
| Blue light hazard | Risk group 0 |



Eulum data for calculation programs are available at www.osmont.cz.

Logistic

| | |
|-------------------|----------------------|
| EAN | 8591728079567 |
| Weight NTTO | 2.9 Kg |
| Weight BTTO | 3.4 Kg |
| Number of cartons | 1 pcs |
| Package volume | 0.057 m ³ |
| Package 1 width | 0.52 m |
| Package 1 length | 0.52 m |
| Package 1 height | 0.21 m |
| Warranty* | 60 months |


*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|-------|---------------|-------------|--|---------|
| 20572 | PM24C | white - black | |  | |