



ERIS C4

IN-32K910/414C**

WWW.OSMONT.CZ

ERIS C4

Product code: ERI52143



Type: IN-32K910/414C**

Short description of the luminaire: White surface-mounted E27 light ON/OFF with TRIPLEX OPAL glass shade with black decorative stripe.



Technical

| | |
|------------------------------|--------------------------------|
| Types of luminaires | Classic on/off |
| Mounting type | surface mounted |
| Base material | steel |
| Shade material | three-layer glass TRIPLEX OPAL |
| Base color | white Ral9003 |
| Shade color | white - black |
| Holding the shade | folding system |
| Mounting location | ceiling/wall |
| Width | 540 mm |
| Length | 540 mm |
| Height | 140 mm |
| Diameter | ø 540 mm |
| mounting holes (diameter) | 4xø5mm |
| Installation wire (diameter) | 2xø16mm |
| Impact strength | IK01 |
| Operating temperature | from -20°C to +30°C |




Electric

| | |
|--------------------|---------------------|
| Voltage type | AC |
| AC voltage | 220 - 240 V |
| Power consumption | 3x25 W |
| Ingress Protection | IP43 |
| Socket | E27 |
| terminal block | snap terminal block |

Luminous

| | |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at www.osmont.cz.




Logistic

| | |
|-------------------|----------------------|
| EAN | 8591728521431 |
| Weight NTTO | 5.8 Kg |
| Weight BTTO | 6.5 Kg |
| Number of cartons | 1 pcs |
| Package volume | 0.049 m ³ |
| Package 1 width | 0.56 m |
| Package 1 length | 0.55 m |
| Package 1 height | 0.16 m |
| Warranty* | 60 months |


*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------|---------------|-------------|--|---------|
| 20133 | 414C | white - black | |  | |