



KRUGER 4 F0

LED-4L54ET1050KN10/FO4B BT 27-65K##


WWW.OSMONT.CZ

KRUGER 4 FO

Product code: KRU61049


Type: LED-4L54ET1050KN10/FO4B BT 27-65K##

Short description of the luminaire: White colour | ceiling or wall LED light with Bluetooth Tunable White system | opal plastic shade | decorative collar |



Technical data

Types of luminaires	Tunable White
Mounting type	surface mounted
Base material	steel
Shade material	Plastic opal (FO) with metal collar
Base color	white Ral9003
Shade color	white
Holding the shade	folding system
Mounting location	ceiling/wall
Width	645 mm
Length	645 mm
Height	80 mm
Diameter	ø 645 mm
mounting holes (diameter)	2xø5mm
Cable entrance	2xø16mm
Energy Class	D
Operating temperature	from -20°C to +30°C




Electrical data

Power consumption	103 W
Ingress Protection	IP40
Socket	LED modul
terminal block	snap terminal block

Luminous data

Lum. flux of luminaire	12960 lm
Lum. flux of light source	16400 lm
Chromaticity temperature	2700-6500 K
Rated life time LED L80/B10	100000 hours
CRI	Ra80
MacAdam	3
Blue light hazard	Risk group 0

Eulum data for calculation programs are available at www.osmont.cz.



Additional assortment:

Lampshade

Product code	Name	Color	Picture	Drawing
20728	F04B	white		