



KRUGER 4 FOP

LED-6L51EMP1050KN10/FOP4B NK3HST 3K##

WWW.OSMONT.CZ

KRUGER 4 FOP

Product code: KRU50016

Type: LED-6L51EMP1050KN10/FOP4B NK3HST 3K##

Short description of the luminaire: White colour | ceiling or wall LED light with emergency backup combined (with Self-test) | multipower driver | opal prismatic shade| decorative collar | |



Technical data

| | |
|---------------------------|--|
| Types of luminaires | Emergency combined SELFTEST |
| Mounting type | surface mounted |
| Base material | steel |
| Shade material | Plastic opal prismatic (FOP) with metal collar |
| Base color | white Ral9003 |
| Shade color | white |
| Holding the shade | folding system |
| Mounting location | ceiling/wall |
| Width | 645 mm |
| Length | 645 mm |
| Height | 80 mm |
| Diameter | ø 645 mm |
| mounting holes (diameter) | 2xØ5mm |
| Cable entrance | 2xØ16mm |
| Energy Class | D |
| Operating temperature | from -20°C to +30°C |




Electrical data

| | |
|--------------------|---------------------|
| Power consumption | 100 W |
| Ingress Protection | IP40 |
| Socket | LED modul |
| Battery type | LiFePO4 |
| Emergency time | 3 hours |
| SELFTEST | yes |
| terminal block | snap terminal block |

Luminous data

| | |
|---|--------------|
| Lum. flux of luminaire | 9850 lm |
| Lum. flux of light source | 15160 lm |
| Lum. flux of light source in emergency mode | 200 lm |
| Chromaticity temperature | 3000 K |
| Rated life time LED L80/B10 | 100000 hours |
| CRI | Ra80 |
| MacAdam | 3 |
| Blue light hazard | Risk group 0 |

Eulum data for calculation programs are available at www.osmont.cz.



TECHNICAL SHEET



Logistical data

| | |
|-------------------|---------------|
| EAN | 8591728229276 |
| Number of cartons | 1 pcs |
| Warranty* | 60 months |

*The warranty for the batteries is valid for 36 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Picture | Drawing |
|--------------|-------|-------|---|---------|
| 20729 | FOP4B | white |  | |