



## DELIA V3

---

IN-32KNV94/PC24 HF\*\*


[WWW.OSMONT.CZ](http://WWW.OSMONT.CZ)

# DELIA V3

Product code: DEL52549

Type: IN-32KNV94/PC24 HF\*\*

Short description of the luminaire: White semi-recessed E27 light with sensor and polycarbonate shade.



## Technical

Types of luminaires	Sensor
Mounting type	semi-recessed
Base material	steel
Shade material	opal polycarbonate
Base color	white Ral9003
Shade color	white
Holding the shade	folding system
Mounting location	ceiling/wall
Width	500 mm
Length	500 mm
Height	64 mm
Diameter	ø 500 mm
mounting holes (diameter)	none
Installation wire (diameter)	2xØ16mm
Impact strength	IK10
Operating temperature	from -20°C to +30°C

## Electric

Voltage type	AC
AC voltage	220 - 240 V
Power consumption	3x25 W
Ingress Protection	IP44
Socket	E27
Sensor	HF
terminal block	snap terminal block


## Luminous

Blue light hazard	Risk group 0
-------------------	--------------



Eulum data for calculation programs are available at [www.osmont.cz](http://www.osmont.cz).



Ø500



Ø470



cd/klm  
— C0 - C180 — C90 - C270


η = 56%

Logistic


EAN	8591728525491
Weight NTTO	2.45 Kg
Weight BTTO	2.95 Kg
Number of cartons	1 pcs
Package volume	0.047 m <sup>3</sup>
Package 1 width	0.51 m
Package 1 length	0.51 m
Package 1 height	0.18 m
Warranty*	60 months

\*The warranty for the batteries is valid for 12 months from the date of purchase.


Installation dimensions:



Svítidlo nesmí být z horní strany zakryto izolací.  
Luminaire must not be covered with insulating matting.



Rozměry dutiny pro vestavné svítidlo [mm]:  
Dimensions of cavity for recessed luminaire [mm]:



Montáž do pevných materiálů - sádkarton, dřevo.  
Mounting into solid materials - plasterboard, wood.

Additional assortment:

Lampshade

Product code	Name	Color	Description	Picture	Drawing
20524	PC24	white		