



DELIA V3

IN-32KNV94/PM24 HF**


WWW.OSMONT.CZ

DELIA V3

Product code: DEL52554

Type: IN-32KNV94/PM24 HF**

Short description of the luminaire: White semi-recessed E27 light with sensor and PMMA shade.



Technical

| | |
|------------------------------|------------------------------|
| Types of luminaires | Sensor |
| Mounting type | semi-recessed |
| Base material | steel |
| Shade material | opal polymethyl methacrylate |
| Base color | white Ral9003 |
| Shade color | white |
| Holding the shade | folding system |
| Mounting location | ceiling/wall |
| Width | 500 mm |
| Length | 500 mm |
| Height | 64 mm |
| Diameter | ø 500 mm |
| mounting holes (diameter) | none |
| Installation wire (diameter) | 2xØ16mm |
| Impact strength | IK04 |
| Operating temperature | from -20°C to +30°C |




Electric

| | |
|--------------------|---------------------|
| Voltage type | AC |
| AC voltage | 220 - 240 V |
| Power consumption | 3x25 W |
| Ingress Protection | IP44 |
| Socket | E27 |
| Sensor | HF |
| terminal block | snap terminal block |

Luminous

| | |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at www.osmont.cz.




Logistic

| | |
|-------------------|----------------------|
| EAN | 8591728525545 |
| Weight NTTO | 2.45 Kg |
| Weight BTTO | 2.95 Kg |
| Number of cartons | 1 pcs |
| Package volume | 0.047 m ³ |
| Package 1 width | 0.51 m |
| Package 1 length | 0.51 m |
| Package 1 height | 0.18 m |
| Warranty* | 60 months |


*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------|-------|-------------|---|---------|
| 20523 | PM24 | white | |  | |