



## ELSA 16

---

IN-32K910/637\*\*

[WWW.OSMONT.CZ](http://WWW.OSMONT.CZ)

# ELSA 16

Product code: ELS71680


Type: IN-32K910/637\*\*

Short description of the luminaire: White surface-mounted E27 light ON/OFF with TRIPLEX OPAL glass shade.



## Technical

|                              |                                |
|------------------------------|--------------------------------|
| Types of luminaires          | Classic on/off                 |
| Mounting type                | surface mounted                |
| Base material                | steel                          |
| Shade material               | three-layer glass TRIPLEX OPAL |
| Base color                   | white Ral9003                  |
| Shade color                  | white                          |
| Holding the shade            | folding system                 |
| Mounting location            | ceiling/wall                   |
| Width                        | 590 mm                         |
| Length                       | 590 mm                         |
| Height                       | 99 mm                          |
| Diameter                     | ø 590 mm                       |
| mounting holes (diameter)    | 4xø5mm                         |
| Installation wire (diameter) | 2xø16mm                        |
| Impact strength              | IK01                           |
| Operating temperature        | from -20°C to +30°C            |




## Electric

|                    |                     |
|--------------------|---------------------|
| Voltage type       | AC                  |
| AC voltage         | 220 - 240 V         |
| Power consumption  | 3x25 W              |
| Ingress Protection | IP43                |
| Socket             | E27                 |
| terminal block     | snap terminal block |

## Luminous

|                   |              |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at [www.osmont.cz](http://www.osmont.cz).




Logistic

|                   |                      |
|-------------------|----------------------|
| EAN               | 8591728716806        |
| Weight NTTO       | 6.4 Kg               |
| Weight BTTO       | 7.1 Kg               |
| Number of cartons | 1 pcs                |
| Package volume    | 0.059 m <sup>3</sup> |
| Package 1 width   | 0.625 m              |
| Package 1 length  | 0.625 m              |
| Package 1 height  | 0.15 m               |
| Warranty*         | 60 months            |

\*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:




Additional assortment:

Base for surface mounting

| Product code | Name           | Color            | Description | Picture  | Drawing   |
|--------------|----------------|------------------|-------------|--|---|
| 33503        | KN9,K9,B17 /BP | white<br>Ra19003 |             |  |  |

Lampshade

| Product code | Name | Color | Description | Picture  | Drawing |
|--------------|------|-------|-------------|--|---------|
| 20141        | 637  | white |             |  |         |