



ISIS L5 PM-M

ZL11/3/PM5M/L100 NB**

WWW.OSMONT.CZ

ISIS L5 PM-M

Product code: ISI40064

Type: ZL11/3/PM5M/L100 NB**

Short description of the luminaire: Stainless brushed finish | pendant E27 light | ON/OFF | PMMA matt shade



Technical

| | |
|------------------------------|------------------------------|
| Types of luminaires | Classic on/off |
| Mounting type | Suspended - wire |
| Base material | stainless steel steel |
| Shade material | opal polymethyl methacrylate |
| Base color | brushed stainless steel |
| Shade color | white |
| Holding the shade | steel holder |
| Mounting location | ceiling |
| Width | 600 mm |
| Length | 600 mm |
| Height | 600 mm |
| Diameter | ø 600 mm |
| Hinge length | 1000 mm |
| mounting holes (diameter) | none |
| Installation wire (diameter) | none |
| Impact strength | IK06 |
| Operating temperature | from -20°C to +30°C |



Electric

| | |
|--------------------|--------|
| Power consumption | 3x25 W |
| Ingress Protection | IP40 |
| Socket | E27 |
| terminal block | none |

Luminous

| | |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at www.osmont.cz.



Logistic

| | |
|-------------------|----------------------|
| EAN | 8591728011765 |
| Weight NTTO | 4 Kg |
| Weight BTTO | 6.4 Kg |
| Number of cartons | 2 pcs |
| Package volume | 0.256 m ³ |
| Package 1 width | 0.62 m |
| Package 1 length | 0.62 m |
| Package 1 height | 0.63 m |
| Warranty* | 60 months |


*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|-------|-------|-------------|---|---------|
| 20667 | PM5-M | white | |  | |