



ISIS P2A PM

Z11/PM2A/L40 NL HF*

WWW.OSMONT.CZ

ISIS P2A PM

Product code: ISI46910

Type: Z11/PM2A/L40 NL HF*

Short description of the luminaire: Stainless steel polished | pendant E27 light with HF sensor | PMMA shade | rod pendant 40 cm |



Technical data

| | |
|---------------------------|------------------------------|
| Types of luminaires | Sensor |
| Mounting type | Suspended - rod |
| Base material | stainless steel steel |
| Shade material | opal polymethyl methacrylate |
| Base color | polished stainless steel |
| Shade color | white |
| Holding the shade | steel holder |
| Mounting location | ceiling |
| Width | 250 mm |
| Length | 250 mm |
| Height | 250 mm |
| Diameter | ø 250 mm |
| Suspension length | 400 mm |
| mounting holes (diameter) | none |
| Impact strength | IK06 |
| Operating temperature | from -20°C to +30°C |



Electrical data

| | |
|--------------------|------|
| Power consumption | 25 W |
| Ingress Protection | IP40 |
| Socket | E27 |
| Sensor | HF |
| terminal block | none |

Luminous data

| | |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at www.osmont.cz.



TECHNICAL SHEET



Logistical data

| | |
|-----------|---------------|
| EAN | 8591728208486 |
| Warranty* | 60 months |

**The warranty for the batteries is valid for 36 months from the date of purchase.*

Additional assortment:

Lampshade

| Product code | Name | Color | Picture | Drawing |
|--------------|--------------|-------|---|---------|
| 20724 | PM2A (250mm) | white |  | |