



LUKIDA 3

IN-12BD1/196 KP T**

WWW.OSMONT.CZ

LUKIDA 3

Product code: LUK40011


Type: IN-12BD1/196 KP T**

Short description of the luminaire: Terracotta color | surface-mounted E27 light | ON/OFF | TRIPLEX OPAL glass shade with matt surface | decorative collar



Technical

| | |
|------------------------------|--------------------------------|
| Types of luminaires | Classic on/off |
| Mounting type | surface mounted |
| Base material | steel |
| Shade material | three-layer glass TRIPLEX OPAL |
| Base color | terracotta Ral2013 |
| Shade color | white |
| Holding the shade | bayonet |
| Mounting location | ceiling/wall |
| Width | 565 mm |
| Length | 565 mm |
| Height | 400 mm |
| Diameter | ø 565 mm |
| mounting holes (diameter) | 4xø5mm |
| Installation wire (diameter) | 2xø16mm |
| Impact strength | IK01 |




Electric

| | |
|--------------------|----------------------|
| Power consumption | 40 W |
| Coverage class | 2 |
| Ingress Protection | IP65 |
| Socket | E27 |
| terminal block | screw terminal block |

Luminous

| | |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at www.osmont.cz.



TECHNICAL SHEET



Logistic

| | |
|-------------------|---------------|
| EAN | 8591728086121 |
| Number of cartons | 1 pcs |
| Warranty* | 60 months |

**The warranty for the batteries is valid for 12 months from the date of purchase.*

Installation dimensions:




Additional assortment:

Base for surface mounting

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------------|------------------|-------------|--|---|
| 33521 | BD1/BP 2-1 | white Ral9003 | |  |  |

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------|-------|-------------|--|---------|
| 20095 | 196 | white | |  | |