

MATAR 1

LED-1L79E250PA06/PC71 C DALI 3K##

WWW.OSMONT.CZ

MATAR 1

Product code: MAT71035


Type: LED-1L79E250PA06/PC71 C DALI 3K##

Short description of the luminaire: Black surface-mounted LED light DALI and polycarbonate shade



Technical

| | |
|------------------------------|---------------------|
| Types of luminaires | Dimmable |
| Mounting type | surface mounted |
| Base material | aluminium |
| Shade material | opal polycarbonate |
| Base color | black Ral9005 |
| Shade color | white |
| Holding the shade | spring |
| Mounting location | ceiling/wall |
| Width | 600 mm |
| Length | 60 mm |
| Height | 46 mm |
| mounting holes (diameter) | 2xØ5mm |
| Installation wire (diameter) | 2xØ16mm |
| Energy Class | D |
| Impact strength | IK10 |
| Operating temperature | from -20°C to +30°C |




Electric

| | |
|-------------------------------------|---------------------|
| Power consumption | 9 W |
| Ingress Protection | IP44 |
| Socket | LED modul |
| terminal block | snap terminal block |
| Automatic circuit breaker type B10A | 31 pcs |
| Automatic circuit breaker type B16A | 50 pcs |
| Automatic circuit breaker type C10A | 52 pcs |
| Automatic circuit breaker type C16A | 85 pcs |

Luminous

| | |
|-----------------------------|--------------|
| Lum. flux of luminaire | 1090 lm |
| Lum. flux of light source | 1540 lm |
| Luminaire efficacy | 121 lm/W |
| Temperature | 3000 K |
| Rated life time LED L80/B10 | 100000 hours |
| CRI | Ra80 |
| MacAdam | 3 |
| Blue light hazard | Risk group 0 |

Eulum data for calculation programs are available at www.osmont.cz.




Logistic

| | |
|-------------|---------------|
| EAN | 8591728140878 |
| Weight NTTO | 0.65 Kg |
| Weight BTTO | 0.85 Kg |
| Warranty* | 60 months |



**The warranty for the batteries is valid for 12 months from the date of purchase.*

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------|-------|-------------|--|---|
| 20608 | PC71 | white | |  |  |