



## MATAR 2

---

LED-1L78-1L79E400PA09/PC72 B DALI 4K##

[WWW.OSMONT.CZ](http://WWW.OSMONT.CZ)

# MATAR 2

Product code: MAT60621

Type: LED-1L78-1L79E400PA09/PC72 B DALI 4K##

Short description of the luminaire: White colour | ceiling or wall LED light DALI | opal polycarbonate shade (PC)



## Technical data

|                           |                     |
|---------------------------|---------------------|
| Types of luminaires       | Dimmable            |
| Mounting type             | surface mounted     |
| Base material             | aluminium           |
| Shade material            | opal polycarbonate  |
| Base color                | white Ra9003        |
| Shade color               | white               |
| Holding the shade         | spring              |
| Mounting location         | ceiling/wall        |
| Width                     | 905 mm              |
| Length                    | 58 mm               |
| Height                    | 46 mm               |
| mounting holes (diameter) | 2xØ5mm              |
| Cable entrance            | 2xØ16mm             |
| Energy Class              | D                   |
| Impact strength           | IK10                |
| Operating temperature     | from -20°C to +30°C |





## Electrical data

|                    |                     |
|--------------------|---------------------|
| Power consumption  | 15 W                |
| Ingress Protection | IP44                |
| Socket             | LED modul           |
| terminal block     | snap terminal block |

## Luminous data

|                             |              |
|-----------------------------|--------------|
| Lum. flux of luminaire      | 1820 lm      |
| Lum. flux of light source   | 2560 lm      |
| Chromaticity temperature    | 4000 K       |
| Rated life time LED L80/B10 | 100000 hours |
| CRI                         | Ra80         |
| MacAdam                     | 3            |
| Blue light hazard           | Risk group 0 |

Eulum data for calculation programs are available at [www.osmont.cz](http://www.osmont.cz).



# TECHNICAL SHEET



## Logistical data

|                   |               |
|-------------------|---------------|
| EAN               | 8591728236076 |
| Weight NTTO       | 1.05 Kg       |
| Weight BTTO       | 1.25 Kg       |
| Number of cartons | 1 pcs         |
| Warranty*         | 60 months     |



*\*The warranty for the batteries is valid for 36 months from the date of purchase.*

## Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Picture   | Drawing   |
|--------------|------|-------|---|---|
| 20609        | PC72 | white |  |  |