



MATAR LE2

LED-1L78-1L79E250ZLEA09/PC72/L100 C DALI 4K##

WWW.OSMONT.CZ

MATAR LE2

Product code: MAT60561


Type: LED-1L78-1L79E250ZLEA09/PC72/L100 C DALI 4K##

Short description of the luminaire: Black color | pendant LED light | dimmable DALI | polycarbonate shade



Technical

| | |
|------------------------------|-----------------------------------|
| Types of luminaires | Dimmable |
| Mounting type | Suspended - SELV wire (cableless) |
| Base material | aluminium |
| Shade material | opal polycarbonate |
| Base color | black Ral9005 |
| Shade color | white |
| Holding the shade | spring |
| Mounting location | ceiling |
| Width | 900 mm |
| Length | 60 mm |
| Height | 46 mm |
| Hinge length | 1000 mm |
| mounting holes (diameter) | 2xØ5mm |
| Installation wire (diameter) | 2xØ16mm |
| Energy Class | D |
| Impact strength | IK10 |
| Operating temperature | from -20°C to +30°C |




Electric

| | |
|-------------------------------------|---------------------|
| Power consumption | 14 W |
| Ingress Protection | IP40 |
| Socket | LED modul |
| terminal block | snap terminal block |
| Automatic circuit breaker type B10A | 31 pcs |
| Automatic circuit breaker type B16A | 50 pcs |
| Automatic circuit breaker type C10A | 52 pcs |
| Automatic circuit breaker type C16A | 85 pcs |

Luminous

| | |
|-----------------------------|--------------|
| Lum. flux of luminaire | 1700 lm |
| Lum. flux of light source | 2400 lm |
| Luminaire efficacy | 121 lm/W |
| Temperature | 4000 K |
| Rated life time LED L80/B10 | 100000 hours |
| CRI | Ra80 |
| MacAdam | 3 |
| Blue light hazard | Risk group 0 |



Eulum data for calculation programs are available at www.osmont.cz.

TECHNICAL SHEET



Logistic

| | |
|-----------|---------------|
| EAN | 8591728088781 |
| Warranty* | 60 months |



**The warranty for the batteries is valid for 12 months from the date of purchase.*

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------|-------|-------------|--|---|
| 20609 | PC72 | white | |  |  |