




STYX D3

Private: LED-5L06E450BD1P/194 B DALI 3K#

TECHNICAL SHEET

STYX D3

Product code 61271

Type Private: LED-5L06E450BD1P/194 B DALI 3K#

--	--	--	--	--

Technical data

Types of luminaires	Dimmable
Mounting type	surface mounted
Base material	steel
Shade material	three-layer glass TRIPLEX OPAL
Base color	white Ral9003
Shade color	white
Holding the shade	bayonet
Mounting location	ceiling/wall
Width	300 mm
Length	300 mm
Height	310 mm
Diameter	ø 300 mm
mounting holes (diameter)	4x?5mm
Cable entrance	2x?16mm
Impact strength	IK01
Operating temperature	from -20°C to +30°C

Electrical data

Power consumption	20 W
Ingress Protection	IP65
Socket	LED modul
terminal block	screw terminal block

Luminous data

Lum. flux of luminaire	2960 lm
Lum. flux of light source	3360 lm
Chromaticity temperature	3000 K
Rated life time LED L80/B10	100000 hours
CRI	Ra80
MacAdam	3
Blue light hazard	Risk group 0

*Eulum data for calculation programs are available at
www.osmont.cz.*

Logistical data

EAN	8591728231767
Number of cartons	1 pcs
Warranty*	60 months

**The warranty for the batteries is valid for 36 months from the
date of purchase.*

Installation dimensions:

OSMONT, s.r.o.
HYBRÁLEC 129,
586 01 JIHLAVA, CZ

Additional assortment:

Lampshade

Product code	Name	Color	Picture	Drawing
20094	194	white		