



## STYX D4

---


Private: LED-5L06E600BD1P/196 C 3K#

[WWW.OSMONT.CZ](http://WWW.OSMONT.CZ)

# STYX D4

Product code: STY61282

Type: Private: LED-5L06E600BD1P/196 C 3K#



## Technical data

|                           |                                |
|---------------------------|--------------------------------|
| Types of luminaires       | Classic on/off                 |
| Mounting type             | surface mounted                |
| Base material             | steel                          |
| Shade material            | three-layer glass TRIPLEX OPAL |
| Base color                | black Ral9005                  |
| Shade color               | white                          |
| Holding the shade         | bayonet                        |
| Mounting location         | ceiling                        |
| Width                     | 400 mm                         |
| Length                    | 400 mm                         |
| Height                    | 415 mm                         |
| Diameter                  | Ø 400 mm                       |
| mounting holes (diameter) | 4x?5mm                         |
| Cable entrance            | 2x?16mm                        |
| Impact strength           | IK01                           |
| Operating temperature     | from -20°C to +30°C            |


## Electrical data

|                    |                      |
|--------------------|----------------------|
| Power consumption  | 27 W                 |
| Ingress Protection | IP65                 |
| Socket             | LED modul            |
| terminal block     | screw terminal block |

## Luminous data

|                             |              |
|-----------------------------|--------------|
| Lum. flux of luminaire      | 3910 lm      |
| Lum. flux of light source   | 4440 lm      |
| Chromaticity temperature    | 3000 K       |
| Rated life time LED L80/B10 | 100000 hours |
| CRI                         | Ra80         |
| MacAdam                     | 3            |
| Blue light hazard           | Risk group 0 |

Eulum data for calculation programs are available at  
[www.osmont.cz](http://www.osmont.cz).




## Logistical data

|                   |               |
|-------------------|---------------|
| EAN               | 8591728231873 |
| Number of cartons | 1 pcs         |
| Warranty*         | 60 months     |

\*The warranty for the batteries is valid for 36 months from the date of purchase.

## Installation dimensions:



## Additional assortment:

## Lampshade

| Product code | Name | Color | Picture                                                                           | Drawing |
|--------------|------|-------|-----------------------------------------------------------------------------------|---------|
| 20095        | 196  | white |  |         |