



TITAN 5

IN-62KN11/PM11**


WWW.OSMONT.CZ

TITAN 5

Product code: TIT56061


Type: IN-62KN11/PM11**

Short description of the luminaire: White surface-mounted E27 light ON/OFF and PMMA shade.



Technical

| | |
|------------------------------|------------------------------|
| Types of luminaires | Classic on/off |
| Mounting type | surface mounted |
| Base material | steel |
| Shade material | opal polymethyl methacrylate |
| Base color | white Ral9003 |
| Shade color | white |
| Holding the shade | folding system |
| Mounting location | ceiling/wall |
| Width | 900 mm |
| Length | 900 mm |
| Height | 200 mm |
| Diameter | ø 900 mm |
| mounting holes (diameter) | 3xø5mm |
| Installation wire (diameter) | 2xø16mm |
| Impact strength | IK04 |
| Operating temperature | from -20°C to +30°C |




Electric

| | |
|--------------------|---------------------|
| Voltage type | AC |
| AC voltage | 220 - 240 V |
| Power consumption | 6x25 W |
| Ingress Protection | IP54 |
| Socket | E27 |
| terminal block | snap terminal block |

Luminous

| | |
|-------------------|--------------|
| Blue light hazard | Risk group 0 |
|-------------------|--------------|

Eulum data for calculation programs are available at www.osmont.cz.



Logistic


| | |
|-------------|---------------|
| EAN | 8591728560614 |
| Weight NTTO | 7.9 Kg |

TECHNICAL SHEET

| | |
|-------------------|----------------------|
| Weight BTTO | 10.6 Kg |
| Number of cartons | 1 pcs |
| Package volume | 0.205 m ³ |
| Package 1 width | 0.95 m |
| Package 1 length | 0.23 m |
| Package 1 height | 0.94 m |
| Warranty* | 60 months |


*The warranty for the batteries is valid for 12 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Description | Picture | Drawing |
|--------------|------|-------|-------------|--|---------|
| 20516 | PM11 | white | |  | |