



ZETA 1 UP/DOWN

Private: LED-1L641E700/250K2H/FP91 GB 2/1 DALI 3K#

WWW.OSMONT.CZ

ZETA 1 UP/DOWN

Product code: ZET60111


Type: Private: LED-1L641E700/250K2H/FP91 GB 2/1 DALI 3K#

Short description of the luminaire: Golden beach colour | ceiling or wall LED light DALI | two-circuit connection | direct and indirect lighting | matt PMMA shade |



Technical data

| | |
|---------------------------|------------------------------|
| Types of luminaires | Dimmable |
| Mounting type | surface mounted |
| Base material | steel |
| Shade material | opal polymethyl methacrylate |
| Base color | Golden Beach RAL1015 |
| Shade color | white |
| Mounting location | ceiling/wall |
| Width | 400 mm |
| Length | 400 mm |
| Height | 105 mm |
| Diameter | ø 400 mm |
| mounting holes (diameter) | 3xø5mm |
| Cable entrance | 2xø16mm |
| Operating temperature | from -20°C to +30°C |



Electrical data

| | |
|--------------------|---------------------|
| Power consumption | 31+11 W |
| Ingress Protection | IP40 |
| Socket | LED modul |
| terminal block | snap terminal block |

Luminous data

| | |
|-----------------------------|--------------|
| Lum. flux of luminaire | 3470+1170 lm |
| Lum. flux of light source | 4820+1720 lm |
| Chromaticity temperature | 3000 K |
| Rated life time LED L80/B10 | 100000 hours |
| CRI | Ra80 |
| MacAdam | 3 |
| Blue light hazard | Risk group 0 |

Eulum data for calculation programs are available at www.osmont.cz.



TECHNICAL SHEET




Logistical data

| | |
|-------------------|---------------|
| EAN | 8591728233464 |
| Weight NTTO | 2.8 Kg |
| Weight BTTO | 3.1 Kg |
| Number of cartons | 1 pcs |
| Warranty* | 60 months |

*The warranty for the batteries is valid for 36 months from the date of purchase.

Installation dimensions:



Additional assortment:

Lampshade

| Product code | Name | Color | Picture | Drawing |
|--------------|------|-------|---|---------|
| 20668 | PM91 | white |  | |